

| | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|---------------|
| WMS-LBGR-BERGBAU | | | | | | | | 99.93% |
| WMS-LBGR-BOARTSUBSTR | | | | | | | | 99.92% |
| WMS-LBGR-BOBASENSORP | | | | | | | | 99.92% |
| WMS-LBGR-BOEROSION | | | | | | | | 99.94% |
| WMS-LBGR-BOERTRAG | | | | | | | | 99.96% |
| WMS-LBGR-BOGEOthermie | | | | | | | | 99.94% |
| WMS-LBGR-BOGRABLOECHER | | | | | | | | 99.96% |
| WMS-LBGR-BOHUMUSKOHL | | | | | | | | 99.92% |
| WMS-LBGR-BOKARTEN | | | | | | | | 99.97% |
| WMS-LBGR-BORELIEF | | | | | | | | 99.92% |
| WMS-LBGR-BOSCHWERM | | | | | | | | 99.97% |
| WMS-LBGR-BOWASSVERH | | | | | | | | 99.97% |
| WMS-LBGR-GK | | | | | | | | 99.93% |
| WMS-LBGR-HGK | | | | | | | | 99.97% |
| WMS-LFU-ARTEN | | | | | | | | 99.97% |
| WMS-LFU-BBK | | | | | | | | 99.94% |
| WMS-LFU-BTLNCIR | | | | | | | | 99.92% |
| WMS-LFU-LAERM | | | | | | | | 99.95% |
| WMS-LFU-BDF | | | | | | | | 99.93% |
| WMS-LFU-BIMSCHG | | | | | | | | 99.94% |
| WMS-LFU-DEPO | | | | | | | | 99.93% |
| WMS-LFU-IED | | | | | | | | 99.95% |
| WMS-LFU-NATRAUM | | | | | | | | 99.96% |
| WMS-LFU-SCHUTZG | | | | | | | | 99.97% |
| WMS-LFU-WKA | | | | | | | | 99.95% |
| WMS-MIK-BEHVZ | | | | | | | | 99.96% |
| WMS-LGB-OEBVI | | | | | | | | 99.95% |
| WMS Klassifiziertes Straßennetz BB | | | | | | | | 99.97% |
| WMS-LS-ZAEHLSTELLEN | | | | | | | | 99.92% |
| WMS-ZDPOL-POLBB | | | | | | | | 99.95% |
| WFS-ALKIS-SF-BB | | | | | | | | 99.97% |
| WMS-ALKIS-BB | | | | | | | | 99.96% |
| WFS-ATKIS-BDLM-SF-BB | | | | | | | | 99.97% |
| WFS-ATKIS-DLM50-SF-BB | | | | | | | | 99.97% |
| Zusammenfassung | | | | | | | | 99.95% |

Verfügbarkeitsschwellen

≥ 99.0%
 ≥ 95.0%
 < 95.0%

Farben der Zeitleiste

OK
 WARN
 KRIT
 UNBEKANNT
 un stetige Verfügbarkeit
 Serverausfall
 Wartungszeit
 un gemonitort

Weitere Informationen erhalten Sie beim Kundenservice der LGB
 (kundenservice@inspire.brandenburg.de · Telefon: +49 331 8844-123 oder unter www.inspire.brandenburg.de)