

19. KW 2021
10.05. - 16.05.

Qualitätsmonitoring der Verfügbarkeit von Webdiensten der INSPIRE-Zentrale

INSPIRE

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|---------|
| INSPIRE-WFS BB Adressen Hauskoordinaten | | | | | | | | | 100.00% |
| WFS-AF-TIERE | | | | | | | | | 100.00% |
| WFS-AM-BTF | | | | | | | | | 100.00% |
| WFS-AM- FLUGLAERMSCHUTZ | | | | | | | | | 100.00% |
| WFS-AM-MG | | | | | | | | | 100.00% |
| WFS-AM-UGK300 | | | | | | | | | 100.00% |
| WFS-AM-VFG | | | | | | | | | 100.00% |
| INSPIRE-WFS BB Verwaltungseinheiten ALKIS | | | | | | | | | 100.00% |
| INSPIRE-WFS BB Verwaltungseinheiten ATKIS Basis-DLM | | | | | | | | | 100.00% |
| WFS-BR-NATRAUM | | | | | | | | | 100.00% |
| INSPIRE-WFS BB Flurstücke/Grundstücke ALKIS | | | | | | | | | 99.98% |
| WFS-EF-BDF | | | | | | | | | 100.00% |
| WFS-EF-SEM | | | | | | | | | 100.00% |
| WFS-ER-WKA | | | | | | | | | 100.00% |
| WFS-GEHG-ARTESER | | | | | | | | | 100.00% |
| WFS-GEHG-HYK50 | | | | | | | | | 100.00% |
| WFS-GEHG-UGK300 | | | | | | | | | 100.00% |
| WFS-GECORE-EEM | | | | | | | | | 100.00% |
| WFS-GECORE-GK25 | | | | | | | | | 100.00% |
| WFS-GECORE- GUEK300 | | | | | | | | | 100.00% |
| WFS-GECORE- QUARTAER | | | | | | | | | 100.00% |
| WFS-GECORE- UGK300 | | | | | | | | | 100.00% |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|---------|
| INSPIRE-WFS BB Geografische Bezeichnungen ALKIS | | | | | | | | 99.81% |
| INSPIRE-WFS BB Geografische Bezeichnungen ATKIS Basis-DLM | | | | | | | | 99.91% |
| WFS-HB-BBK | | | | | | | | 100.00% |
| INSPIRE-WFS BB Hydro - Netzwerk ATKIS Basis-DLM | | | | | | | | 100.00% |
| INSPIRE-WFS BB Hydro - Physische Gewässer ALKIS | | | | | | | | 100.00% |
| INSPIRE-WFS BB Hydro - Physische Gewässer ATKIS Basis-DLM | | | | | | | | 100.00% |
| WFS-PF-BHKW | | | | | | | | 100.00% |
| WFS-PF-BIMSCHG | | | | | | | | 100.00% |
| WFS-PF-GFA | | | | | | | | 100.00% |
| WFS-PF-IED | | | | | | | | 100.00% |
| WFS-PS-SCHUTZG | | | | | | | | 100.00% |
| WFS-SD-ARTEN | | | | | | | | 100.00% |
| WFS-SO-BASEN | | | | | | | | 100.00% |
| WFS-SO-BK50 | | | | | | | | 100.00% |
| WFS-SO-BOARTEN | | | | | | | | 100.00% |
| WFS-SO- BOBEWEGUNG | | | | | | | | 100.00% |
| WFS-SO-BOBINDUNG | | | | | | | | 100.00% |
| WFS-SO- BOEROSIONWI | | | | | | | | 100.00% |
| WFS-SO-BOERTRAG | | | | | | | | 100.00% |
| WFS-SO- BOSCHWERM1M | | | | | | | | 100.00% |
| WFS-SO- BOSCHERMGW | | | | | | | | 100.00% |
| WFS-SO- BOSCHWERMObEN | | | | | | | | 100.00% |
| WFS-SO-BUEK300 | | | | | | | | 100.00% |
| WFS-SO-CVORR | | | | | | | | 100.00% |
| WFS-SO- ELEMENTObEN | | | | | | | | 100.00% |
| WFS-SO- ELEMENTUNTEN | | | | | | | | 100.00% |
| WFS-SO-GEOTHERM | | | | | | | | 100.00% |
| WFS-SO-HUMUS | | | | | | | | 100.00% |

| | | | | | | | | |
|---|--|--|--|--|--|--|--|---------|
| WFS-SO-MKBODENFORM | | | | | | | | n.v. |
| WFS-SO-MMK | | | | | | | | 100.00% |
| WFS-SO-RETENTION | | | | | | | | 100.00% |
| WFS-SO-SORPTION | | | | | | | | 100.00% |
| WFS-SO-SUBSTRATE | | | | | | | | 100.00% |
| WFS-SO-VERN | | | | | | | | 100.00% |
| WFS-SO-WAERMELEITF | | | | | | | | 100.00% |
| INSPIRE-WFS BB Verkehrsnetze ALKIS | | | | | | | | 100.00% |
| INSPIRE-WFS BB Verkehrsnetze ATKIS Basis-DLM | | | | | | | | 100.00% |
| WFS-USGOVSERV- APOTHEKEN | | | | | | | | 100.00% |
| WFS-USGOVSERV- AUFGABENTRAEGER | | | | | | | | 100.00% |
| WFS-USGOVSERV- BHVZ | | | | | | | | 100.00% |
| WFS-USGOVSERV- KATSV | | | | | | | | 100.00% |
| WFS-USGOVSERV- OEBVI | | | | | | | | 100.00% |
| WFS-USGOVSERV- POLBB | | | | | | | | 100.00% |
| WFS-USGOVSERV- RLSTELLEN | | | | | | | | 100.00% |
| WFS-USGOVSERV- SCHULEN | | | | | | | | 100.00% |
| WFS-LBGR- ELEMENTGEHALTE | | | | | | | | 99.82% |
| WFS-LBGR- VERDICHTTEMPFINDL | | | | | | | | 99.87% |
| INSPIRE-WMS BB Adressen Hauskoordinaten | | | | | | | | 100.00% |
| WMS-AF-TIERE | | | | | | | | 100.00% |
| WMS-AM-BTF | | | | | | | | 100.00% |
| WMS-AM- FLUGLAERMSCHUTZ | | | | | | | | 100.00% |
| WMS-AM-MG | | | | | | | | 100.00% |
| WMS-AM-UGK300 | | | | | | | | 100.00% |
| WMS-AM-VFG | | | | | | | | 100.00% |
| INSPIRE-WMS BB Verwaltungseinheiten ALKIS | | | | | | | | 100.00% |
| INSPIRE-WMS BB Verwaltungseinheiten ATKIS Basis-DLM | | | | | | | | 100.00% |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|---------|
| WMS-BR-NATRAUM | | | | | | | | 100.00% |
| INSPIRE-WMS BB Flurstücke/Grundstücke ALKIS | | | | | | | | 100.00% |
| WMS-EF-BDF | | | | | | | | 100.00% |
| WMS-EF-SEM | | | | | | | | 100.00% |
| WMS-ER-WKA | | | | | | | | 100.00% |
| WMS-GEHG- ARTESER | | | | | | | | 100.00% |
| WMS-GEHG-HYK50 | | | | | | | | 100.00% |
| WMS-GEHG-UGK300 | | | | | | | | 100.00% |
| WMS-GECORE-EEM | | | | | | | | 100.00% |
| WMS-GECORE-GK25 | | | | | | | | 100.00% |
| WMS-GECORE- GUEK100 | | | | | | | | 100.00% |
| WMS-GECORE- GUEK300 | | | | | | | | 100.00% |
| WMS-GECORE- QUARTAER | | | | | | | | 100.00% |
| WMS-GECORE- UGK300 | | | | | | | | 100.00% |
| INSPIRE-WMS BB Geografische Bezeichnungen ALKIS | | | | | | | | 100.00% |
| INSPIRE-WMS BB Geografische Bezeichnungen ATKIS Basis-DLM | | | | | | | | 100.00% |
| WMS-HB-BBK | | | | | | | | 100.00% |
| INSPIRE-WMS BB Hydro - Netzwerk ATKIS Basis-DLM | | | | | | | | 100.00% |
| INSPIRE-WMS BB Hydro - Physische Gewässer ALKIS | | | | | | | | 100.00% |
| INSPIRE-WMS BB Hydro - Physische Gewässer ATKIS Basis-DLM | | | | | | | | 100.00% |
| WMS-PF-BHKW | | | | | | | | 100.00% |
| WMS-PF-BIMSCHG | | | | | | | | 100.00% |
| WMS-PF-GFA | | | | | | | | 100.00% |
| WMS-PF-IED | | | | | | | | 100.00% |
| WMS-PS-SCHUTZG | | | | | | | | 100.00% |
| WMS-SD-ARTEN | | | | | | | | 100.00% |
| WMS-SO-BASEN | | | | | | | | 100.00% |
| WMS-SO-BK50 | | | | | | | | 100.00% |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|---------|
| WMS-SO-BOARTEN | | | | | | | | 100.00% |
| WMS-SO-BOBEWEGUNG | | | | | | | | 100.00% |
| WMS-SO-BOBINDUNG | | | | | | | | 100.00% |
| WMS-SO-BOEROSIONWI | | | | | | | | 100.00% |
| WMS-SO-BOERTRAG | | | | | | | | 100.00% |
| WMS-SO-BOSCHWERM1M | | | | | | | | 100.00% |
| WMS-SO-BOSCHERMGW | | | | | | | | 100.00% |
| WMS-SO-BOSCHWERM | | | | | | | | 100.00% |
| WMS-SO-BUEK300 | | | | | | | | 100.00% |
| WMS-SO-CVORR | | | | | | | | 100.00% |
| WMS-SO-ELEMENTO | | | | | | | | 100.00% |
| WMS-SO-ELEMENTU | | | | | | | | 100.00% |
| WMS-SO-GEOTHERM | | | | | | | | 100.00% |
| WMS-SO-HUMUS | | | | | | | | 100.00% |
| WMS-SO-MKBDEN | | | | | | | | n.v. |
| WMS-SO-MMK | | | | | | | | 100.00% |
| WMS-SO-RETENTION | | | | | | | | 100.00% |
| WMS-SO-SORPTION | | | | | | | | 100.00% |
| WMS-SO-SUBSTRATE | | | | | | | | 100.00% |
| WMS-SO-VERN | | | | | | | | 100.00% |
| WMS-SO-WAERMELEITF | | | | | | | | 100.00% |
| INSPIRE-WMS BB Verkehrsnetze ALKIS | | | | | | | | 100.00% |
| INSPIRE-WMS BB Verkehrsnetze ATKIS Basis-DLM | | | | | | | | 100.00% |
| WMS-USEMF-DEPO | | | | | | | | 100.00% |
| WMS-USGOVSERV-APOTHEKEN | | | | | | | | 100.00% |
| WMS-USGOVSERV-AUFGABENTRAEGER | | | | | | | | 100.00% |
| WMS-USGOVSERV-BHVZ | | | | | | | | 100.00% |
| WMS-USGOVSERV-KATSV | | | | | | | | 100.00% |
| WMS-USGOVSERV-OEBVI | | | | | | | | 100.00% |
| WMS-USGOVSERV-POLBB | | | | | | | | 100.00% |

| | | | | | | | | | | |
|-----------------------------|--|--|--|--|--|--|--|--|--|---------|
| WMS-USGOVSERV- RLSTELLEN | | | | | | | | | | 100.00% |
| WMS-USGOVSERV- SCHULEN | | | | | | | | | | 100.00% |
| WMS-LBGR- ELEMENTGEHALTE | | | | | | | | | | 99.87% |
| WMS-LBGR- VERDICHTEMPFDL | | | | | | | | | | 99.82% |
| WCS-LBGR- BORELIEF | | | | | | | | | | 99.87% |
| WCS-LBGR- BOWASSVERH | | | | | | | | | | 99.82% |
| WCS-LBGR- SWRPNAG | | | | | | | | | | 99.71% |
| WFS-MIK-BRANDKAT | | | | | | | | | | 99.82% |
| WFS-LAVG- APOTHEKEN | | | | | | | | | | 99.82% |
| WFS-LAVG- GESSCHULEN | | | | | | | | | | 99.82% |
| WFS-LBGR-BERGBAU | | | | | | | | | | 99.82% |
| WFS-LBGR- BOARTSUBSTR | | | | | | | | | | 99.82% |
| WFS-LBGR- BOBASENSORP | | | | | | | | | | 99.82% |
| WFS-LBGR- BOEROSION | | | | | | | | | | 99.82% |
| WFS-LBGR- BOERTRAG | | | | | | | | | | 99.82% |
| WFS-LBGR- BOGEOOTHERMIE | | | | | | | | | | 99.82% |
| WFS-LBGR- BOGRABLOECHER | | | | | | | | | | 99.82% |
| WFS-LBGR- BOHUMUSKOHL | | | | | | | | | | 99.82% |
| WFS-LBGR- BOKARTEN | | | | | | | | | | 99.82% |
| WFS-LBGR-BORELIEF | | | | | | | | | | 99.82% |
| WFS-LBGR- BOSCHWERM | | | | | | | | | | 99.82% |
| WFS-LBGR- BOWASSVERH | | | | | | | | | | 99.82% |
| WFS-LBGR-GK | | | | | | | | | | 99.82% |
| WFS-LBGR-HGK | | | | | | | | | | 99.82% |
| WFS-LFU-ARTEN | | | | | | | | | | 99.84% |
| WFS-LFU-BBK | | | | | | | | | | 99.82% |
| WFS-LFU-BTLNCIR | | | | | | | | | | 99.82% |
| WFS-LFU-LAERM | | | | | | | | | | 99.82% |
| WFS-LFU-BDF | | | | | | | | | | 99.82% |
| WFS-LFU-BIMSCHG | | | | | | | | | | 99.82% |

| | | | | | | | | | |
|---------------------------------------|--|--|--|--|--|--|--|--|--------|
| WFS-LFU-DEPO | | | | | | | | | 99.82% |
| WFS-LFU-IED | | | | | | | | | 99.84% |
| WFS-LFU-NATRAUM | | | | | | | | | 99.82% |
| WFS-LFU-SCHUTZG | | | | | | | | | 99.82% |
| WFS-LFU-WKA | | | | | | | | | 99.82% |
| WFS-MIK-BEHVZ | | | | | | | | | 99.82% |
| WFS-LGB-OEBVI | | | | | | | | | 99.87% |
| WFS Klassifiziertes Straßennetz BB | | | | | | | | | 99.82% |
| WFS-LS- ZAEHLSTELLEN | | | | | | | | | 99.82% |
| WFS-ZDPOL-POLBB | | | | | | | | | 99.82% |
| WFS-VG-BB | | | | | | | | | 99.87% |
| WMS-MIK-BRANDKAT | | | | | | | | | 99.82% |
| WMS-LAVG- APOTHEKEN | | | | | | | | | 99.82% |
| WMS-LAVG- GESSCHULEN | | | | | | | | | 99.82% |
| WMS-LBGR- BERGBAU | | | | | | | | | 99.82% |
| WMS-LBGR- BOARTSUBSTR | | | | | | | | | 99.82% |
| WMS-LBGR- BOBASENSORP | | | | | | | | | 99.82% |
| WMS-LBGR- BOEROSION | | | | | | | | | 99.82% |
| WMS-LBGR- BOERTRAG | | | | | | | | | 99.82% |
| WMS-LBGR- BOGEOthermie | | | | | | | | | 99.82% |
| WMS-LBGR- BOGRABLOECHER | | | | | | | | | 99.82% |
| WMS-LBGR- BOHUMUSKOHL | | | | | | | | | 99.82% |
| WMS-LBGR- BOKARTEN | | | | | | | | | 99.87% |
| WMS-LBGR- BORELIEF | | | | | | | | | 99.87% |
| WMS-LBGR- BOSCHWERM | | | | | | | | | 99.82% |
| WMS-LBGR- BOWASSVERH | | | | | | | | | 99.82% |
| WMS-LBGR-GK | | | | | | | | | 99.82% |
| WMS-LBGR-HGK | | | | | | | | | 99.87% |
| WMS-LBGR- SWRPNAG | | | | | | | | | 99.98% |
| WMS-LFU-ARTEN | | | | | | | | | 99.87% |

| | | | | | | | | |
|---------------------------------------|--|--|--|--|--|--|--|---------------|
| WMS-LFU-BBK | | | | | | | | 100.00% |
| WMS-LFU-BTLNCIR | | | | | | | | 100.00% |
| WMS-LFU-LAERM | | | | | | | | 99.87% |
| WMS-LFU-BDF | | | | | | | | 99.82% |
| WMS-LFU-BIMSCHG | | | | | | | | 99.82% |
| WMS-LFU-DEPO | | | | | | | | 99.82% |
| WMS-LFU-IED | | | | | | | | 99.87% |
| WMS-LFU-NATRAUM | | | | | | | | 99.82% |
| WMS-LFU-SCHUTZG | | | | | | | | 99.87% |
| WMS-LFU-WKA | | | | | | | | 99.87% |
| WMS-MIK-BEHVZ | | | | | | | | 99.82% |
| WMS-LGB-OEBVI | | | | | | | | 99.82% |
| WMS Klassifiziertes Straßennetz BB | | | | | | | | 99.82% |
| WMS-LS- ZAEHLSTELLEN | | | | | | | | 99.82% |
| WMS-ZDPOL-POLBB | | | | | | | | 99.87% |
| WFS-ALKIS-SF-BB | | | | | | | | 99.98% |
| WMS-ALKIS-BB | | | | | | | | 100.00% |
| WFS-ATKIS-BDLM-SF- BB | | | | | | | | 100.00% |
| Zusammenfassung | | | | | | | | 99.94% |

Verfügbarkeitsschwellen

≥ 99.0%
 ≥ 95.0%
 < 95.0%

Farben der Zeitleiste

OK
 WARN
 KRIT
 UNBEKANNT
 unstetige Verfügbarkeit
 Serverausfall
 Wartungszeit
 ungemonitort

Weitere Informationen erhalten Sie beim Kundenservice der LGB
 (kundenservice@inspire.brandenburg.de · Telefon: +49 331 8844-123 oder unter www.inspire.brandenburg.de)